

METTEM-PRODUCTION, LLC.

Russia, 143902, Moscow reg., Balashikha city, Sovetskaya str. 42

Tel.: +7 (495) 529-57-27, 529-14-48, 521-46-54

Fax: +7 (495) 521-45-03

E-mail: marketing@mettem.ru

Web: www.mettem.ru



The price-list is valid from 01.01.2017

| № | Description of goods | Price depending on orders as follow: | | | |
|--|----------------------------------|--------------------------------------|--------|---------|---------|
| | | 20 000 | 50 000 | 100 000 | 200 000 |
| Обратите внимание: замки ответной планкой не комплектуются (планка поставляется по отдельному заказу), кроме моделей, обозначенных звездочкой (*). | | | | | |
| METTEM® SUPERPROTECTION | | | | | |
| Leader lock | | | | | |
| 1. | ZV8 611.0.1 | 3 160 | 2 907 | 2 781 | 2 654 |
| 10-lever mortice locks | | | | | |
| 2. | ZV8 141.0.1 | 941 | 866 | 828 | 791 |
| 3. | ZV8 240.0.1 | 970 | 892 | 854 | 815 |
| 4. | ZV8 240.0.1-18 (plates excluded) | 1 038 | 955 | 913 | 872 |
| 5. | ZV8 260.0.1 | 975 | 897 | 858 | 819 |
| 10-lever mortice locks without forend | | | | | |
| 6. | ZV8 151.0.1 | 896 | 825 | 789 | 753 |
| 7. | ZV8 250.0.1-18 (plates excluded) | 995 | 915 | 876 | 836 |
| 300-series (8-lever galvanized mortice locks) | | | | | |
| 8. | ZV8 341.0.1 | 1 630 | 1 500 | 1 434 | 1 369 |
| 9. | ZV8 341.1.1 | 1 659 | 1 526 | 1 460 | 1 393 |
| 10. | ZV9 343.1.1 | 1 683 | 1 548 | 1 481 | 1 413 |
| 300-series mortice locks without forend | | | | | |
| 11. | ZV8 351.0.1 | 1 563 | 1 438 | 1 375 | 1 313 |
| 12. | ZV8 351.1.1 | 1 591 | 1 464 | 1 400 | 1 337 |
| 13. | ZV9 353.1.1 | 1 615 | 1 486 | 1 421 | 1 357 |
| Combined locks | | | | | |
| 14. | ZV13 173.1.1 | 1 720 | 1 582 | 1 514 | 1 445 |
| 15. | ZV13 174.1.1 | 1 744 | 1 604 | 1 535 | 1 465 |
| 16. | ZV13 374.0.1 | 2 156 | 1 984 | 1 898 | 1 811 |
| Mortice cylinder locks | | | | | |
| 17. | ZV1 711.0.0 | 571 | 526 | 503 | 480 |
| 18. | ZV1 712.0.0 | 580 | 534 | 510 | 487 |
| 19. | ZV4 713.0.0 | 595 | 547 | 524 | 500 |
| 20. | ZV4 713.1.0 | 651 | 599 | 573 | 547 |
| 21. | ZV4 733.0.0 | 1 025 | 943 | 902 | 861 |
| Mortice cylinder locks without forend | | | | | |
| 22. | ZV1 701.0.0 | 525 | 483 | 462 | 441 |
| 23. | ZV1 702.0.0 | 533 | 490 | 469 | 447 |
| 24. | ZV4 703.0.0 | 538 | 495 | 473 | 452 |
| 25. | ZV4 703.1.0 | 596 | 549 | 525 | 501 |
| METTEM® CLASSIC | | | | | |
| Mortice lever locks | | | | | |
| 26. | ZV8 140.1.0 | 984 | 905 | 866 | 826 |
| 27. | ZV8 141.1.0 | 955 | 879 | 840 | 802 |
| 28. | ZV8 141.1.1 | 1 023 | 941 | 900 | 859 |

| | | | | | |
|---|-------------------------|-------|-------|-----|-----|
| 29. | ZV8 142.0.0 | 995 | 915 | 876 | 836 |
| 30. | ZV8 142.1.0 | 1 029 | 946 | 905 | 864 |
| 31. | ZV8 142.1.1 | 1 089 | 1 002 | 958 | 915 |
| 32. | ZV9 143.0.0 | 955 | 879 | 840 | 802 |
| 33. | ZV9 143.1.0 | 985 | 906 | 867 | 827 |
| 34. | ZV9 143.1.1 | 1 050 | 966 | 924 | 882 |
| 35. | ZV9 144.0.0 | 993 | 913 | 873 | 834 |
| 36. | ZV9 144.0.1 | 1 045 | 961 | 920 | 878 |
| 37. | ZV9 144.1.0 | 1 041 | 958 | 916 | 875 |
| 38. | ZV9 144.1.1 | 1 081 | 995 | 952 | 908 |
| Mortice lever locks without forend | | | | | |
| 39. | ZV8 151.1.0 | 909 | 836 | 800 | 763 |
| 40. | ZV8 152.0.0 | 943 | 867 | 829 | 792 |
| 41. | ZV8 152.1.0 | 974 | 896 | 857 | 818 |
| 42. | ZV9 153.0.0 | 911 | 838 | 802 | 765 |
| 43. | ZV9 153.1.0 | 931 | 857 | 820 | 782 |
| 44. | ZV9 154.0.0 | 949 | 873 | 835 | 797 |
| 45. | ZV9 154.1.0 | 985 | 906 | 867 | 827 |
| Economical mortice lever locks | | | | | |
| 46. | ZV8 160.0.0 | 701 | 645 | 617 | 589 |
| 47. | ZV8 162.0.0 | 866 | 797 | 762 | 728 |
| 48. | ZV9 164.0.0 | 871 | 802 | 767 | 732 |
| Rim lever locks | | | | | |
| 49. | ZN4 030.0.1 (3 keys)* | 939 | 864 | 826 | 789 |
| 50. | ZN4 030.1.1* | 1 011 | 930 | 890 | 849 |
| 51. | ZN4 032.0.1 (3 keys)* | 1 029 | 946 | 905 | 864 |
| 52. | ZN4 032.0.1 (5 keys)* | 1 078 | 991 | 948 | 905 |
| 53. | ZN4 032.1.1* | 1 108 | 1 019 | 975 | 930 |
| 54. | ZN4 090.0.0* | 939 | 864 | 826 | 789 |
| METTEM® NORMA | | | | | |
| Mortice lever locks | | | | | |
| 55. | ZV8 801.0.0 (5 keys)* | 449 | 413 | 395 | 377 |
| 56. | ZV8 801.0.0 (3 keys)* | 413 | 380 | 363 | 347 |
| 57. | ZV8 801.1.0 (5 keys)* | 490 | 451 | 431 | 412 |
| 58. | ZV8 801.1.0 (3 keys)* | 451 | 415 | 397 | 379 |
| 59. | ZV8 802.0.0-14 (3 keys) | 361 | 332 | 318 | 303 |
| 60. | ZV8 802.0.0 (3 keys) | 388 | 357 | 341 | 326 |
| 61. | ZV8 802.0.0 (5 keys) | 425 | 391 | 374 | 357 |
| 62. | ZV8 802.1.0 (3 keys) | 435 | 400 | 383 | 365 |
| 63. | ZV8 811.0.0 (3 keys) | 375 | 345 | 330 | 315 |
| 64. | ZV8 811.1.0 (3 keys) | 423 | 389 | 372 | 355 |
| 65. | ZV8 812.0.0 (3 keys) | 361 | 332 | 318 | 303 |
| 66. | ZV8 812.1.0 (3 keys) | 404 | 371 | 355 | 339 |
| 67. | ZV8 842.0.0 (3 keys) | 388 | 357 | 341 | 326 |
| 68. | ZV8 842.0.0 (5 keys) | 425 | 391 | 374 | 357 |
| 69. | ZV8 852.0.0 (3 keys) | 344 | 316 | 303 | 289 |
| 70. | ZV8 852.0.0 (5 keys) | 391 | 360 | 344 | 329 |
| 71. | ZV8 852.1.0 (3 keys) | 406 | 374 | 358 | 341 |
| 72. | ZV8 882.0.0 (4 keys) | 581 | 535 | 512 | 488 |
| 73. | ZV9 901.0.0 (3 keys) | 510 | 469 | 449 | 428 |
| 74. | ZV9 901.0.0 (5 keys) | 584 | 537 | 514 | 490 |
| 75. | ZV9 902.0.0 (3 keys) | 505 | 465 | 444 | 424 |
| 76. | ZV9 902.0.0 (5 keys) | 579 | 532 | 509 | 486 |
| 77. | ZV8 190.0.0 (3 keys) | 475 | 437 | 418 | 399 |
| 78. | ZV8 190.0.0 (5 keys) | 511 | 470 | 450 | 429 |
| 79. | ZV8 290.0.0 (3 keys) | 475 | 437 | 418 | 399 |
| 80. | ZV8 290.0.0 (5 keys) | 511 | 470 | 450 | 429 |

| Mortice cylinder locks | | | | | |
|------------------------------|--|--|-------------------|--------------------|-----|
| 81. | ZV1 101.0.0* | 344 | 316 | 303 | 289 |
| 82. | ZV1 102.0.0* | 346 | 319 | 305 | 291 |
| 83. | ZV4 401.0.0* | 371 | 342 | 327 | 312 |
| 84. | ZV4 402.0.0 | 359 | 330 | 316 | 301 |
| 85. | ZV5 501.0.0* | 419 | 385 | 369 | 352 |
| 86. | ZV5 502.0.0* | 438 | 403 | 385 | 368 |
| Fireproof locks | | | | | |
| 87. | ZV4 713.0.0 | 595 | 547 | 524 | 500 |
| 88. | ZV4 402.0.0 | 359 | 330 | 316 | 301 |
| Code locks and latches | | | | | |
| 89. | ZKP-2 | 785 | 722 | 691 | 659 |
| 90. | ZSCH1-3 | 216 | 199 | 190 | 182 |
| Electromechanical locks | | | | | |
| | | Price (rub.) depending on orders as follow: | | | |
| | | 3 pieces and more | 6 pieces and more | 10 pieces and more | |
| 91. | ZV EM 01.01 | 12 000 | 11 250 | 10 500 | |
| 92. | ZN EM 01.01 | 12 000 | 11 250 | 10 500 | |
| 93. | ZV EM 01.02 with GSM | 19 800 | 18 800 | 17 800 | |
| 94. | ZN EM 01.02 with GSM | 19 800 | 18 800 | 17 800 | |
| 95. | Lock (control unit excluded) | 3 400 | 3 150 | 2 900 | |
| 96. | Control unit | 8 600 | 8 100 | 7 600 | |
| 97. | Multifunctional GSM-module | 7 800 | 7 550 | 7 300 | |
| 98. | Control unit with GSM | 16 400 | 15 650 | 14 900 | |
| 99. | Radio-key | 520 | 500 | 480 | |
| LOCK FITTINGS | | | | | |
| Door handles for lever locks | | | | | |
| 100. | NR-61.0723-S-C-G left/right For locks ZV9 144, 164 | 994 | 914 | 875 | 835 |
| 101. | NR-61.0723-S-C-CR left/right For locks ZV9 144, 164 | 825 | 759 | 726 | 693 |
| 102. | NR-61.0723-S-C-S left/right For locks ZV9 144, 164 | 800 | 736 | 704 | 672 |
| 103. | NR-61.0723-S-CR for locks ZV9 143 | 795 | 731 | 700 | 668 |
| 104. | NR-61.0723-S-G for locks ZV9 143 | 706 | 650 | 622 | 593 |
| 105. | NR 0601 left/right for locks ZV9 144, 164 | 306 | 282 | 270 | 257 |
| 106. | NR-65.0623-S-G for locks ZV9 901, 902 | 840 | 773 | 739 | 706 |
| 107. | NR-65.0623-S-CR for locks ZV9 901, 902 | 758 | 697 | 667 | 636 |
| 108. | NR-65.063-S-S for locks ZV9 901, 902 | 688 | 633 | 605 | 578 |
| 109. | NR 0501 for locks ZV9 901, 902 | 271 | 250 | 239 | 228 |
| 110. | NR 0502 for locks ZV9 901, 902 | 316 | 291 | 278 | 266 |
| 111. | NR 1001 for locks ZV9 143 | 271 | 250 | 239 | 228 |
| Handles for combined locks | | | | | |
| 112. | NR 1301 left/right for locks ZV13.174.1.1 | 320 | 294 | 282 | 269 |
| 113. | NR 1401 for locks ZV13 173.1.1 | 301 | 277 | 265 | 253 |
| Handles for cylinder locks | | | | | |

| | | | | | |
|-------------------------|--|--------------|------------|------------|------------|
| 114. | NR 0701 for locks ZV4 713 | 271 | 250 | 239 | 228 |
| 115. | NR 0702 for locks ZV4 713 | 314 | 289 | 276 | 264 |
| 116. | NR 0801 for locks ZV4 401, 402 | 258 | 237 | 227 | 216 |
| 117. | NR 0802 for locks ZV4 401, 402 | 299 | 275 | 263 | 251 |
| 118. | NR 0901 for locks ZV4 401, 402 | 225 | 207 | 198 | 189 |
| Separate handles | | | | | |
| 119. | NR 0301 | 220 | 202 | 194 | 185 |
| 120. | NR 0302 (copper antic, silver antic, black) | 340 | 313 | 299 | 286 |
| 121. | NR 0302 white | 360 | 331 | 317 | 302 |
| Accessories | | | | | |
| 122. | Rotary handle ND 03.00.100 | 60 | 60 | 60 | 60 |
| 123. | Code plate NK-1 | 1 071 | 986 | 943 | 900 |
| 124. | Oval plate for lever type keys (protective shutter excluded) Apecs DP-11-S.M (stainless steel, titanium nitride, bronze) | 60 | 60 | 60 | 60 |
| 125. | Oval plate for lever type keys (protective shutter included) Apecs DP-11-S.M (stainless steel, titanium nitride, bronze) | 65 | 65 | 65 | 65 |
| 126. | Set of plates for lever type keys ZV13 38.4.040, stainless steel | 43 | 43 | 43 | 43 |
| 127. | Set of plates for lever type keys ZV8 25.040, stainless steel | 47 | 47 | 47 | 47 |
| 128. | Set of plates for lever type keys ZV 8 25.040, titanium nitride | 155 | 155 | 155 | 155 |
| 129. | Set of plates for lever type keys 184.040, titanium nitride | 100 | 100 | 100 | 100 |
| 130. | Set of plates for lever type keys ZV 184.040, brass | 100 | 100 | 100 | 100 |
| 131. | Set of plates for lever type keys 184.040, stainless steel | 39 | 39 | 39 | 39 |
| 132. | Set of plates for lever type keys 02.040 for locks NORMA, stainless steel | 39 | 39 | 39 | 39 |
| 133. | Set of plates for lever type keys 02.040 for locks NORMA, titanium nitride | 145 | 145 | 145 | 145 |
| 134. | Set of plates for cylinder type keys ZV1.001 (stainless steel, copper antic, silver antic) | 53 | 53 | 53 | 53 |
| 135. | Protective plate NZ 04.00 | 893 | 821 | 785 | 750 |
| 136. | Weld on protective plate (not hardened) | 111 | 111 | 111 | 111 |
| 137. | Weld on protective plate (hardened) | 143 | 143 | 143 | 143 |

| | | | | | |
|------|---|--------------|--------------|--------------|--------------|
| 138. | Protective plate 60.1.122 for ZV8 611.0.1 | 195 | 195 | 195 | 195 |
| 139. | Striking plate 17.4.002 for locks ZV13 173, 174 | 65 | 65 | 65 | 65 |
| 140. | Striking locks ZV13 38.4.006 for ZV13 374.0.1 | 105 | 105 | 105 | 105 |
| 141. | Striking plate for locks ZV9, ZV8, ZV4 | 28-38 | 28-38 | 28-38 | 28-38 |
| 142. | Forend ZV8 25.102 | 46 | 46 | 46 | 46 |
| 143. | Set of rods for mortice locks | 110 | 110 | 110 | 110 |
| 144. | Set of rods for rim locks | 216 | 216 | 216 | 216 |
| 145. | Key blank | 46 | 46 | 46 | 46 |
| 146. | Key making | 40 | 40 | 40 | 40 |

METTEM-PRODUCTION, LLC

42, Sovetskaya str., Balashikha, Moscow region, 143902, Russia

Bank details

INN (taxpayer identification number) 5001006727

KPP (Tax Registration Reason Code) 500101001

METTEM-PRODUCTION, LLC

settlement account 40702 8105 40040101730

Sberbank of Russia, Moscow

Correspondent account 30101810400000000225

BIC 044525225

OGRN (Principle State Registration Number) 1155001000087

OKVED (All-Russian Classifier of Economic Activities) 28.63

OKPO (All-Russian Classifier of Businesses and Organisations) 33036734